

Groundwater Management Area 12 – Desired Future Conditions

Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers							
Groundwater Conservation District (GCD) or County	Desired Future Condition (DFC) Average aquifer drawdown (feet) measured from January 2000 through December 2069						Date DFC Adopted
	Sparta	Queen City	Carrizo	Calvert Bluff	Simsboro	Hooper	
Brazos Valley GCD	12	12	61	125	295	207	5/25/2017
Fayette County GCD	47	64	110	--	--	--	5/25/2017
Lost Pines GCD	5	15	62	100	240	165	5/25/2017
Mid-East Texas GCD	5	2	80	90	138	125	5/25/2017
Post Oak Savannah GCD	28	30	67	149	318	205	5/25/2017
Falls County	--	--	--	--	-2	27	5/25/2017
Limestone County	--	--	--	11	50	50	5/25/2017
Narvarro County	--	--	--	-1	3	3	5/25/2017
Williamson County	--	--	--	-11	47	69	5/25/2017
GMA 12	16	16	75	114	228	168	5/25/2017

Groundwater Management Area 12 – Desired Future Conditions

Yegua and Jackson aquifers				
Groundwater Conservation District (GCD)	Desired Future Condition (DFC) Average aquifer drawdown (feet) measured from January 2010 through December 2069			Date DFC Adopted
	Yegua	Jackson	Yegua-Jackson	
Brazos Valley GCD	70	114	--	5/25/2017
Fayette County GCD	--	--	77	5/25/2017
Lost Pines GCD	--	--	--	5/25/2017
Mid-East Texas GCD	--	--	7	5/25/2017
Post Oak Savannah GCD	--	--	100	5/25/2017
GMA 12	--	--	65	5/25/2017

Brazos River Alluvium Aquifer			
Groundwater Conservation District (GCD)	County	Desired Future Condition (DFC)	Date DFC Adopted
Brazos Valley GCD	Brazos Robertson	North of State Highway 21: percent saturation shall average at least 30% of total well depth.	5/25/2017
		South of State Highway 21: percent saturation shall average at least 40% of total well depth	
Post Oak Savannah GCD	Burleson	A decrease in 6 feet in the average saturated thickness over the period from 2010 to 2070	5/25/2017
	Milam	A decrease of 5 feet in average saturated thickness over the period from 2010 to 2070.	5/25/2017